

(51) International Patent Classification 6: A61K 7/025, 7/027, 7/031, 7/032	AJ	(11) International Publication Number: (43) International Publication Date: 1 C	WO 98/42298 (ctober 1998 (01.10.98)
(22) International Application Number: PCT/LIS (22) International Filing Date: 12 March 1998 ((23) Priority Data: 12 March 1998 ((24) Applicant: AVON PRODUCTS, INC. [US/US]; 125: 125: 125: 125: 125: 125: 125: 125:	12.03.9 I Avenui). Ifand, P Avenui i Leona	BY. CA. CH. CN, CU, CZ, DE. DN GN, GM, GW, HU, ID, II., IS, IP, I.C. I.K. I.R. LS. LT, LU, LY, MD MX, NO. NZ. PL, PT, BO, RU, SD, TM, TR, TT, UA, UG, UZ, VN, Y (GH, GM, KE, LS. MW, SD, SZ, UC (AM, AZ BY, KG, KZ, MD, RU, TI (AT, BE, CN, DE, DK, BS, PI, FR MC, NI., PT, SE), OAPI parent (BF GA, GN, ML, MR, NE, SN. TD. TC Published With international search report.	L BE, ES, FI, OB, GE, KE, KG, KG, KF, KR, KZ, MG, MK, MN, MW, SE, SG, SI, SK, SL, TI, U, ZW, ARIPO patent A, ZW). Eurasian patent GB, OR, IE, IT, LU, BJ, CF, CG, CJ, CM,

(37) Abstract

A wear-resistant cosmetic composition including a styreno-ethylene/propylene mixed block copolymer, prefembly from about 0.1 weight percent to about 15 weight percent, in a cosmetically acceptable currier. The cosmetic composition may also include an alkyl cycloalkylacrylate copolymer, praferably from about 0.1 weight percent to about 15 weight percent.

POR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

ΛĬ.	Albanin	v.c	\$ ₅₀₀ in	ĻS	Cesocho	91	f tovenis
AM	Amosta	71	Finland	LT	בותוניםבו	9 %	Slovekia
ΛY	Autris	72	PATE A	w	Luxenbour	34	Somegal
AU	Atheris	GA	Calvin	LV	Larvie	82	6walland
AZ	Azotaijsa	CB	United Kingdom	MC	Mooses	TD.	Chad
BA.	Boshia and Hartryovina	CE	Georgia	MD	Regulatic of Moldows	TG	Togs
86	Partnedne	Cit	Chaps	MG	Medepiscu	TI	Tuithre
ΩB	Belglam	(GK	Cidaca	MK	The former Yuguslav	The	Traduscristan
86	Gurtare Pazo	GR	Greace		Espublic of Mesodonia	TR	Theter
BC	Rulgaria	HU	(lungary	ME	Mell	ΠŤ	Trouded and Totage
רמ	Hanim	112	treland	MM	Mangally	ÜA	Ukraine
BR	Brial	11,	Terapi	MR	Maurianie	UG	Vimia
RY	Belanya	19	Indend	MW	Maleui	us.	United States of America
CA	Canada	IT	Liely	MX	Mariton	UZ.	Unitalitates
Cé	Central African Republic	лP) agam	NB	Miger	VN	Viet New
CG	Conso	KB	Konya	NL	Netherlands	YU.	Yugustavia
CH	Switterland	KC	Xympussus	NÓ	Norway	20	Zimbatwa
CI	Cas a tvoirs	KP	Democratic People's	NZ	New Zealuid	4**	CHAVEDAE
ÇM	Cameroon		Reproble of Kones	FL	Polund		
CN	China	KR	Republic of Kores	PŤ	Porsugal		
Ct!	Cuba	K2	Kanaharan	RO	Romanus		
CZ.	Crock Republic	ič	Saint Lards	ŔŰ	Kunian Padersina		
PR	Commy	LI	Linchangain	89	Esten		
DK	Denvir	1.92	Eri tanko	a.R.	aveden.		
БŘ	Paronis	I,EL	1.lberta	80	Sargapove		

.

WEAR RESISTANT COSMETICS

The present invention relates generally to wear resistant cosmetic compositions. More particularly, this invention relates to a cosmetic composition containing a styrene-ethylene/propylene mixed block copolymer that demonstrates enhanced wear in combination with a smooth, non-tacky feel.

BACKGROUND OF THE INVENTION

Various organic waxes and film formers are known in the art for their ability to impart uniform films and protective barriers to the skin and lips. Most of these films are slow to dry on application.

Bacause these films remain wet for extended periods of time, they adhere poorly and tend to transfer off the surface to which they are applied. This results in poor overall cosmetic wear, and requires that the user reapply the cosmetic frequently.

Those film formers that provide somewhat more rapid drying times have additional limitations. The primary limitation of these film formers is an unpleasant tacky feel on application to the skin, lips or lashes that is disliked by consumers. Also, these products tend to drag against the skin when applied, and leave the skin feeling dry and sticky.

Accordingly, there is a need for a wearresistant cosmetic that forms a protective film on
the skin that is also quick to dry and easy to apply,
but does not have an unpleasant, undesirable tacky
feel on the skin.

30

SUMMARY OF THE INVENTION

Against the foregoing background, it is a primary object of the present invention to provide a cosmetic composition having enhanced wear resistance.

It is another object of the present invention to provide a cosmetic composition that produces a quick drying protective film on the skin.

It is yet another object of the present invention to provide a wear resistant cosmetic composition that is not tacky and neither drags against the skin upon application nor dries the skin.

To the accomplishment of the foregoing objects and advantages, the present invention, in brief summary, comprises a wear-resistant cosmetic composition including a styrene-ethylene/propylene mixed block copolymer, preferably at from about 0.01 weight percent to about 85 weight percent, in a cosmetically acceptable carrier. The cosmetic composition may also include an alkyl cycloalkylacrylate copolymer, preferably at from about 0.01 weight percent to about 85 weight percent.

DESCRIPTION OF THE PREFERRED EMBODIMENTS

20

The present invention provides a wear-resistant cosmetic such as, for example, a lipstick, foundation, eye shadow, blush or mascara. It has surprisingly been found that a styrene-ethylene/propylene mixed block copolymer provides superior wear resistance to such cosmetic compositions or formulas, both alone and preferably in combination with an alkyl cycloalkylacrylate copolymer. Moreover, it has surprisingly been found that cosmetic formulas containing the styrene-ethylene/propylene mixed block copolymer are non-tacky and have a pleasant feel when applied to the skin. These compositions are easy to apply, have improved skin and lip adherence (transfer resistance), and provide enhanced wear and longevity.

WO 98/42298

Most preferably, the wear-resistant cosmetic composition according to the present invention includes a styrene-ethylene/propylene mixed block copolymer in a cosmetically acceptable carrier. This cosmetic composition may also include an alkyl cycloalkylacrylate copolymer as a primary ingredient or in combination with the mixed-block copolymer.

The preferred styrene-ethylene/propylene mixed block copolymer of the present invention is a block copolymer made up of styrene, ethylene and propylene type monomers having the following general structure:

Styrene

$$R_1 \cdot C = C \left(\begin{array}{c} R_2 \\ R_3 \end{array} \right)$$

15

$$R_{2}$$
 $C = C \setminus R_{3}$

Propylene

where R₁ to R₆ are independently hydrophobic alkyl chains. One possible structure of the copolymer, with the repeating monomer subset shown in brackets, is:

wherein n ≥ 1 and the R groups may be the same or different, and are independently hydrophobic alkylchains.

The most preferred styrene-ethylene/propylene mixed block copolymer for use in the present invention is available from Brooks Industries as Gel Base (Code 05895). Gel Base (Code 05895) is a styrene-ethylene/propylene mixed block copolymer in combination with isododecane, that is provided as a cloudy white gel. The specific structure of the Gel Base (Code 05895) styrene-ethylene/propylene mixed block copolymer is proprietary to Brooks Industries.


This mixed block copolymer is not water soluble, but is soluble in certain oils and hydrocarbon solvents such as isoparaffin and isododecane. This allows the mixed block copolymer to be delivered in a volatile solvent base to the skin. Once delivered, the volatile solvent evaporates, at least partially, leaving the water insoluble mixed block copolymer film on the skin. This film resists transfer and wear. The mixed block copolymer is most preferably used in combination with a silicone-containing base (containing, for example, dimethicone/cyclomethicone) or an organic volatile in an aqueous base, for supoctor feed and wear.

Section of the section


WO 98/42298

In a preferred embodiment, the styreneethylene/propylene mixed block copolymer is from
about 0.01 percent by weight to about 85 percent by
weight (weight percent) of the total weight of the
composition. In the most preferred embodiment, the
styrene-ethylene/propylene mixed block copolymer is
from about 0.1 to about 15 percent by weight of the
composition. It should be understood that one or
more styrene-ethylene/propylene mixed block
copolymers may be used in the present compositions.

When the composition includes the alkylcycloalkylacrylate copolymer, the preferred alkyl
cycloalkylacrylate copolymer is a copolymer or
copolymers having the following formulas and the
isomers thereof:



20



where R_i to R_i are independently hydrophobic alkyl chains. The alkyl cycloalkylacrylate copolymers are soluble in hydrocarbons, such as isododecane, but not in water, thus enhancing the film-forming effect of the copolymer in a volatile solvent base.

When included, the alkyl cycloalkylacrylate copolymer or copolymers can be from about 0.01 percent by weight to about 85 percent by weight. Preferably, this copolymer is about 0.1 percent by weight to about 15 percent by weight of the composition.

The composition may also include other ingredients, such as a volatile solvent, wax, powder, non-volatile oil, and emulsifier.

The volatile solvent of the present invention acts as a carrier for the other components of the cosmetic, rapidly and evenly dispersing them on the skin, and then evaporating. The preferred volatile solvent includes C₆ to C₂₀ hydrocarbon fractions, more preferably an isoparaffin and most preferably the specific C₁₂ fraction isododecame. Alternatively, cyclomethicone, up to a preferred limit of about 30 weight percent, is also favored.

The volatile solvent may be present in an amount from about 0.01 percent by weight to about 85 percent by weight. However, in certain compositions, less volatile solvent than the maximum 85 percent by weight is desired. For example, a foundation preferably contains no more than about 50 percent by weight of volatile solvent. One or more volatile solvents may be present in the above total amount.

The preferred wax or waxes can be of vegetable, synthetic or hydrocarbon origin. The wax preferably should have a melting point in the range between about 35°C to 120°C. The wax is present in an amount from about 0.01 percent by weight to about 50 percent by weight of the composition. A greater amount of wax is preferred in an anhydrous blush or lipstick than in a mascara. Therefore, the amount of wax in an anhydrous blush or lipstick is preferably about 0.01 percent by weight to about 50 percent by weight, whereas in a mascara, the amount of wax is preferably about 0.01 to about 25 percent by weight of the composition.

10

The dry powder, as discussed above, gives color and sheen to the cosmetics of the present composition. The preferred dry powder includes an organic or an inorganic powder or a combination thereof. The dry powder preferably is a certified organic lake, a stain or an inorganic pigment having a particle size between about 0.02 and about 85 microns in diameter. The dry powder or powders component is preferably present in an amount from about 0.1 percent by weight to about 65 percent by weight of the composition, with the higher figure most suitable for such products as lipsticks or foundations. A blush or mascara preferably contains no mose than about 20 to 25 weight percent of powder.

ក្រី 👉 🖫 🦓 😘 ស្គ្រា

20

30

It is also preferred, depending on the final product being formulated, to include a nonvolatile oil, emulsifier, water or a combination thereof to the finished cosmetic composition. The copolymers of the present invention are suitable for use in both water-based and anhydrous systems.

A preferred cosmetic composition according to the present invention comprises from about 0.01 weight percent to about 85 weight percent of a block copolymer of styrene, ethylene and propylene type monomers. In a more preferred embodiment, the composition also includes from about 0.01 weight percent to about 85 weight percent of alkyl cycloalkylacrylate copolymer. Another preferred cosmetic composition according to the present invention comprises:

- 1) from about 0.01 weight percent to about 85 weight percent of a block copolymer of styrene, ethylene and propylene type monomers;
- 2) from about 0.01 weight percent to about 85 weight percent of alkyl cycloalkylacrylate copolymer;
- 3) from about 0.01 weight percent to about 85 weight percent volatile solvent;
- 4) from about 0.01 weight percent to about 50
 25 weight percent wax;
 - 5) from about 0.1 weight percent to about 65 weight percent dry powder; and
 - 6) from about 0.01 weight percent to about 80 weight percent non-volatile oil, emulsifier and/or water.

As discussed above, one or more of each ingredient may be used, but with the total amount of that ingredient set forth above.

Within the preferred ranges set forth above, the - 35 following Examples 1 through 3 out forth presented

subset compositions for foundations, blushes or lipsticks, and mascaras, respectively.

Example 1

5

FOUNDATION

	Wt. a	
	From about	To about
Styrene-ethylene/propyle mixed block copolym		15
10 Alkyl cyclomethacrylate	copolymer 0.01	15
Volatile Solvent	0.01	50
Wax .	0.01	30
Powder	0,1	65
Nonvolatile oil, emulsifier and wate	0.01	55

Example 2 ANHYDROUS BLUSH/LIPSTICK

20

		Wt. 8	
	<u> </u>	om about	To about
	Styrene-ethylene/propylene mixed block copolymer	0.01	10
25	Alkyl cyclomethacrylate copolymer	0-01	20
	Volatile Solvent	0.01	60
	Wax	0.01	50
	Powder	0.1	25
30	Nonvolatile oil and emulsifier	0.01	55

Example 3 MASCARA

35 Nt. 8 From about To about Styrene-ethylene/propylene mixed block copolymer 0.01 30 Alkyl cyclomethacrylate copolymer 0.01 50 40 Volatile Solvent 0.01 70 xsW 0.01 25

Powder	0.1	20
Nonvolatile oil, emulsifier		
and water	0.01	50

The following are illustrative preferred embodiments.

一句,读我一样是一种的"

Example 4 - Pigmented Foundation

10	Isododecane	25.00
	Silica-fumed	0.50
	Isooctahexacontane	1.00
	Bentone gel	3.00
	Isododecane/mixed block	
15	copolymer	6.00
	Cycloalkylmethacrylate	
	copolymer/isododecane	2.00
	Laurylmethicone copolyol	2.00
	Polyglycerol diisostearate	0.75
20	Glyceryl tribehenate	0.75
	Glyceryl rosinate	4.00
	Cosmetic powder	8.75
	Cosmetic pigment	12.693
	Demineralized water	27.785
25	Disodium EDTA	0.20
	Sodium hexametaphosphate	0.15
	Sodium chloride	0.50
	Butylene glycol	4.00
	Methylparaben	0.40
30	Xanthan gum	0.01
	Imidazolidinyl urea	0.50

Example 5 - Waterproof Mascara

	Odorless Mineral Spirits	32.35
35	lsododecane/Mixed Block	
	Copolymer	15.00
	Cycloalkylmethacrylate	
	copolymer/isododecane	4.00
	Pentaerythritol rosinate	2.50
40	Iron oxide	5.00
	Cosmetic wax	9.30
	Cosmetic powder	13.00
	Hydroxylated lanolin	1.30
	Glyceryl Pyroglutamate	
45	Monooleate	0.50
	Polybutene	0.10
	Butylated hydroxytoluene	0.02
	Propylparabon	0.25
	Demineralized water	14.88

	Della serie de la companya della companya della companya de la companya della com	0.10
	Polyvinylpyrrolidone	0.10
	Tetrasodium EDTA Acetylated POE lanolin	0.20
	alcohol	0.20
S	Propylene glycol	1.00
3	Methylparaben	0.30
	2-phenoxyethanol	0.50
	z-phenoxyechanoi	0.50
10	Example 6	- Blush
	Tridecyl trimellitate	14.68
	Isododecane/mixed block	2
	copolymer	4.95
15	Isododecane	7.35
•••	Cyclomethicone	4.50
	Cycloalkylmethacrylate	4.00
	copolymer/isododecane	20.00
	Pentaerythritol rosinate	1.20
20	Isopropyl lanolate	5.00
	Cosmetic wax	22.00
	UHT	0.02
	Ethylhexyl palmitate	5.00
	Jojoba oil	0.50
25	Ethylhexyl methoxycinnamate	1.00
	Tocopherol acetate	005
	Organic pigment lake	0.55
	Iron oxide	1.35
	Titanium dioxide	3.85
30	Mica	8.00
	Example 7	Lip Color
35	Cosmetic wax	•
33	Diisostearyl fumarate	14.60 9.80
•	Stearyl dimethicone	3.90
	Ethylhexyl methoxycinnamate	3.20
	Benzophenone 3	1.50
40	Iron oxide pigment	9.60
	Cosmetic powder	2.84
	Cyclomethicone	45.05
	Isododecane	6.00
	Isododecane/mixed block	- · • •
45	copolymer	2.00
	Squalane	1.50
	Cycloalkylmethacrylate	
	copolymer/isododecane	0.01

50

The invention having been thus described with particular reference to the preferred forms thereof,

it will be obvious that various changes and modifications may be made therein without departing from the spirit and scope of the invention as defined in the appended claims.

What we claim is:

 A wear-resistant cosmetic composition comprising a styrene-ethylene/propylene mixed block
 copolymer in a cosmetically acceptable carrier.

2. The cosmetic composition of claim 1, wherein said styrene-ethylene/propylene mixed block copolymer is of a structure as follows:

10

wherein $n \ge 1$ and R represents independently hydrophobic alkyl groups of identical or different types.

15

20

- 3. The cosmetic composition of claim 1, wherein said styrene-ethylene/propylene mixed block copolymer is present from about 0.01 percent by weight to about 85 percent by weight of a total composition weight.
- 4. The cosmetic composition of claim 1, wherein said styrene-ethylene/propylene mixed block copolymer is present from about 0.1 weight percent to about 15 percent by weight of a total composition weight.

- 5. The cosmetic composition of claim 1, further comprising an alkyl cycloalkylacrylate copolymer.
- 5 6. The cosmetic composition of claim 5, wherein said alkyl cycloalkylacrylate copolymer is of a structure selected from the group consisting of Structure A, Structure B, an isomer of Structure A, an isomer of Structure B, and a combination thereof:

Structure A

The second second

15

.10

WO 98/42298

where R1 to R4 are independently hydrophobic alkyl chains.

- 7. The cosmetic composition of claim 5, wherein said alkyl cycloalkylacrylate copolymer is present at from about 0.01 weight percent to about 85 weight percent.
- 8. The cosmetic composition of claim 5,
 wherein said alkyl cycloalkylacrylate copolymer is
 present at from about 0.1 weight percent to about 15
 weight percent.
- 9. The cosmetic composition of claim 1, wherein said carrier comprises a volatile solvent.
 - 10. The cosmetic composition of claim 9, wherein said volatile solvent is present at from about 0.01 weight percent to about 85 weight percent.

20

30

- 11. The cosmetic composition of claim 10, wherein said volatile solvent includes a volatile hydrocarbon.
- 25 12. The cosmetic composition of claim 10, wherein said volatile solvent is silicon-based.
 - 13. The cosmetic composition of claim 1, wherein said carrier includes a volatile hydrocarbon.
 - 14. The cosmetic composition of claim 1, wherein said carrier includes silicone.

20

25

- 15. The cosmetic composition of claim 1, further comprising from about 0.01 weight percent to about 50 weight percent wax.
- 5 16. The cosmetic composition of claim 1, further comprising from about 0.1 weight percent to about 65 weight percent dry powder.
- 17. The cosmetic composition of claim 1, wherein said carrier comprises water.
 - 18. The cosmetic composition of claim 1, further comprising a non-volatile oil.
- 15 19. The cosmetic composition of claim 1, further comprising an emulsifier.
 - 20. A wear-resistant cosmetic composition comprising an alkyl cycloalkylacrylate copolymer.
 - 21. A wear-resistant cosmetic composition comprising:

from about 0.01 to about 30 percent by weight styrene-ethylene/propylene mixed block copolymer;

from about 0.01 to about 50 percent by weight alkyl cyclomethacrylate copolymer;

from about 0.01 to about 70 percent by weight volatile solvent;

from about 0.01 to 50 percent by weight wax; and from about 0.1 to 65 percent powders.

INTERNATIONAL SEARCH REPORT

International application No. PCT/U898/04704

A. CLASSIFICATION OF SUBJECT MATTER JPC(6) :A61K 7/021, 7/021, 7/031, 7/032 US CL : 424/64, 70.7, 401					
According to	According to International Pages: Classification (IPC) or to both national classification and IPC				
	DE SEARCHED				
	cumentation seembed (classification system followed b 124/64, 70.7, 401	y dismisesion symboli)			
NONE	an essential other that minimum downmantsian to the e	gleat that such documents are included	in the fields searched		
Electronic d NONE	te base consulted during the international search (sam	e of date base and, where practicable	, search terms used)		
c. Doc	uments considered to be relevant				
Category*	Citation of document, with indication, whom appr	oprisis, of the relevent parameter	Relovant to claim No.		
x	US 5,558,872 A (JONES et al.) 24 Sept 26 and claim 1.	ember 1996, column 2, line	1-4		
Y	zu die Cidua I.		9-19		
Y	US 5,219,560 A (SUZUKI et al.) 15 July 11-14, and examples.	ine 1993, abstract, columns	9-19		
	. .		·		
Pure	nor documents are listed in the consequence of Box C.	See paret family sones.			
1	nerial estagories al chied dominants; nerestate definiting the general estate of the est which is not considered to all periodiciples retire reco-	"?" leter document poblished effer the d date and me in conflict with the up due propiple or theory underlying the	Hoston bik eithif in theirmbuch		
"R"	riler document published as ar ofter the interestional filing data	"X" decreased of perduniter reterence; d mentioned motor or except he based when the decrease will be that belone	es of the statement of		
9	miner somet (At abrogues)	terminal to describe the manual of the comments of the comments on the comments of the comment	a seep when the domestud is		
4	nounces beforeig in its and disclosure, the exhibition of ether ease. In course published prior to the intermediated filling late has been than		the art		
Dete of the actual completion of the intermeticaal season Dete of mailing of the intermeticaal season report					
29 MAY 1998					
Box PCT Westings	mailing address of the 184-194 may of Patents and Tradomera to D.C. 20231	NOTHSNA VENKAT	her		
Fecamile 1		Telephose No. (703) 306-3491	17		
Hora PCT/	SA/210 (eccord shoet)(July 1992) w		1 .1		

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

BLACK BORDERS

IMAGE CUT OFF AT TOP, BOTTOM OR SIDES

FADED TEXT OR DRAWING

BLURRED OR ILLEGIBLE TEXT OR DRAWING

SKEWED/SLANTED IMAGES

COLOR OR BLACK AND WHITE PHOTOGRAPHS

GRAY SCALE DOCUMENTS

LINES OR MARKS ON ORIGINAL DOCUMENT

REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.